



COOL KING INDIA

reliable & accurate cooling systems....



WATER COOLER



ACCURATE. RELIABLE. FAST.

When it comes to finding answers to questions and getting results. Cool King is number one. No other Refrigerator is faster, more reliable and accurate. Choose Cool King.



We Provide

You

Compact space

saving design.

WATER COOLER

FASTER COOLING

The High Energy Efficient Compressor speeds up the cooling process so that you get cold water faster. It also ensures less power consumption.

HIGH EFFICIENCY HEAT TRANSFER COIL

High quality copper tubes with Rippled Aluminum Fins for its air-cooled condenser ensures highest heat transfer efficiency.

COMPACT SPACE SAVING DESIGN

This allows them to fit even in cramped spaces.

PUF INSULATION

A unique PUF insulation ensures that water remains cool for a longer period in case of power failure and also saves power consumption.

ECO FRIENDLY REFRIGERANT

CFC-Free refrigerant ensures no damage to the environment.

ADJUSTABLE LEGS FOR EASY LEVELING

So, that they stand steady even on uneven surfaces.

SPEEDY DRAINAGE

The extra large stainless steel water tray prevents splashing and ensures fast drainage of water.

V-SERVICE

Our range of water coolers assures you trouble-free performance for years.

+91-98961-80212 +91-98965-76355

Accelerate your business potential with innovative Cool Services.

Model	20/40	40/40	40/80	80/100	150/150	200/250
Туре	Storage	Storage	Storage	Storage	Storage	Storage
Dimensions (Inches)						·
a) Width	19	19	25	24	30	33
b) Depth	19	19	19	24	24	27
c) Height	50	50	58	58	58	64
Maximum Current (amps)	1.6	1.6	2.3	3.0	4.1	6.8
Cooling Capacity (ltrs/hr)*	20	40	40	80	150	200
Storage Capacity (Itrs)	40	40	80	100	150	250
No. of cold water outlets	1	1	2	2	2	3
Refrigerant	R-134a	R-134a	R-134a	R-22	R-22	R-22
Compressor	Hermetic type with suction gas cooled motor, equipped with overload protector					
Condenser fan	Propeller type (Quiet)					
Thermostat	Automatically controls temperature					
Power supply	230 Volts ± 10%, 50 Hz, single phase					
Water supply	3m to 12m head. Use pressure reducing valve, if the water head is higher than 12m					
Power connection	5 amps 3-pin plug with proper earth connection for models 20/40 and 40/40 & 15 amps for other models					

•

CONTACT US





+91 - 0171 - 4006926



+91 - 98961 - 80212, 89502 - 84555, +91 - 98965 - 76355



coolkingindia@yahoo.co.in, info@coolkingindia.co.in

938 Nanhera Road,

Near Har Shri Nath Mandir,

Kuldeep Nagar,

Ambala Cantt -133001

Haryana,

India

